

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Defnition	Errors	Ref #
1	IS &R	1	("5949286") .PN.	USP AT	2005/02/28 13:38				S1
2	BR S	8092	variable near2 gain near2 amplif\$	USP AT	2005/03/01 08:18				S2
3	BR S	456584	match\$	USP AT	2005/03/01 08:19				S3
4	BR S	25369	input near2 impedance\$	USP AT	2005/03/01 08:19				S4
5	BR S	26950	(high or hi) near2 gain	USP AT	2005/03/01 08:20				S5
6	BR S	137542	attenuat\$	USP AT	2005/03/01 08:20				S6
7	BR S	10726	(lo or low) near2 gain	USP AT	2005/03/01 08:20				S7
8	BR S	802414	switch\$	USP AT	2005/03/01 08:20				S8
9	BR S	18541	load near2 resistor\$	USP AT	2005/03/01 08:21				S9
10	BR S	9	S2 and S3 and S4 and S5 and S6 and S7 and S8 and S9	USP AT	2005/03/01 06:10				S10

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors	Ref #
11	BR S	50	("4415864" "6031421" "4378528" "4544896" "5477191" "5572166" "5784692" "6046640" "5323123" "5430765" "5432478" "5625318" "5734284" "6166978" "4301420" "4328465" "4403346" "4408514" "4514702" "4561118" "4864248" "4929908" "4961057" "4963806" "5337025" "5483600" "5574769" "5598302" "5661437" "5675656" "5682119" "5994963" "5999052" "6081603" "6104246" "6144233" "6147568" "6172574" "6198349" "3882330" "4013972" "4084129" "4245186" "4247789" "4255716" "4298884" "4300102" "4320534" "4322679" "4333056") .pn.	USP AT	2005/02/ 28 14:06			S1 1	
12	BR S	8099	variable near2 gain near2 amplif\$	USP AT	2005/03/ 01 06:11			S1 2	
13	BR S	45716 7	match\$	USP AT	2005/03/ 01 06:11			S1 3	
14	BR S	26972	(high or hi) near2 gain	USP AT	2005/03/ 01 06:11			S1 4	
15	BR S	13769 9	attenuat\$	USP AT	2005/03/ 01 06:11			S1 5	
16	BR S	10736	(lo or low) near2 gain	USP AT	2005/03/ 01 06:11			S1 6	
17	BR S	80317 9	switch\$	USP AT	2005/03/ 01 06:11			S1 7	

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definers	Errors	Ref #
18	BR S	50	("4415864" "6031421" "4378528" "4544896" "5477191" "5572166" "5784692" "6046640" "5323123" "5430765" "5432478" "5625318" "5734284" "6166978" "4301420" "4328465" "4403346" "4408514" "4514702" "4561118" "4864248" "4929908" "4961057" "4963806" "5337025" "5483600" "5574769" "5598302" "5661437" "5675656" "5682119" "5994963" "5999052" "6081603" "6104246" "6144233" "6147568" "6172574" "6198349" "3882330" "4013972" "4084129" "4245186" "4247789" "4255716" "4298884" "4300102" "4320534" "4322679" "4333056") .pn.	USP AT	2005/03/ 01 06:11			S1 8	
19	BR S	2	S12 and S13 and S14 and S15 and S16 and S17 and S18	USP AT	2005/03/ 01 06:11				S1 9
20	BR S	1	"4099134".PN.	USP AT; USO CR	2005/03/ 01 06:17				S2 0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BR S	L1	10427	variable near2 gain near2 (amplifier or amplifiers or amplifying)	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/03/ 01 08:18			
2	BR S	L2	535347	match or matching or matches or matched	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/03/ 01 08:19			
3	BR S	L3	23716	input near2 (impedance or impedances)	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/03/ 01 08:19			
4	BR S	L4	22010	(high or hi) near2 gain	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/03/ 01 08:20			
5	BR S	L5	79828	attenuate or attenuator or attenuating or attenuators	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/03/ 01 08:20			
6	BR S	L6	7373	(lo or low) near2 gain	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/03/ 01 08:20			
7	BR S	L7	190723 1	switch or switches or switching or switched	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/03/ 01 08:21			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comm ents	Error definition	Errors
8	BR S	L8	26186	load near2 (resistor or resistors)	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/03/01 08:21			
9	BR S	L9	5	1 and 2 and 3 and 4 and 5 and 6 and 7 and 8	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/03/01 08:34			
10	IS &R	L1 0	3	(("5355096") or ("6307433") or ("6667657")) .PN.	USPAT	2005/03/01 08:35			